



StallWorks, LLC

Door & Stall Systems

434-352-2929


2500 SERIES

- 18 GA galv/Neal steel, panel perimeter & crossbucks
- 14 GA galv/Neal steel jamb
- Heavy Duty 8" T-Hinges and D-Handle (Bale Door)
- Heavy Duty 8" T-Hinges, D-Handle and Barrel Bolt (Dutch Door)
- 5/8" quality plywood core
- 29 GA skins glued to plywood
- D-Handle holds the panel in the open and closed position
- Variety of classic powder coat colors

Dutch Door



Bale Door



2530 SERIES – DUTCH DOOR & BALE DOOR WITHOUT JAMB

See page 10 for actual door size's and Rough openings.



StallWorks, LLC

Door & Stall Systems
434-352-2929

2520 SERIES

- 18 gauge galv/Neal steel jamb, panel perimeter & crossbucks
- 14 gauge galv/Neal steel jamb
- Heavy duty 8" T-Hinges (Bale Door)
- Heavy duty 8" T-Hinges, D-Handle and Barrel Bolt (Dutch Door)
- 5/8" quality plywood core
- 29 GA skins glued to plywood
- 3/16" double pane tempered glass with internal grids
- D-Handle holds the panel in the open and closed position
- Variety of classic powder coat colors

Dutch Door with Safety Glass



Bale Door with Safety Glass



2540 SERIES – DUTCH DOOR & BALE DOOR WITHOUT JAMB

See page 10 for actual door size's and Rough openings.



StallWorks, LLC

Door & Stall Systems

434-352-2929

2600 SERIES/2630 SERIES

- 18 GA galv/Neal steel, panel perimeter & crossbucks
- 14 GA galv/Neal steel frame, D-Handle and Heavy Duty 8" T-Hinges (Hinged Barn Door)
- Double Hinged Barn Door include 6" Foot Bolt/4" Spring Bolt
- Trolley set, stay roller, handle, barrel bolt and end cap set (Sliding Barn Door)
- 5/8" quality plywood core
- 29 GA skins glued to plywood
- Variety of classic powder coat colors

Sliding Barn Door (2630 SERIES)



Hinged Barn Door (2600 SERIES)



See page 10 for actual door size's and Rough openings.



StallWorks, LLC

Door & Stall Systems
434-352-2929

2620 SERIES/2640 SERIES

- 18 GA galv/Neal steel, panel perimeter & crossbucks
- 14 GA galv/Neal steel frame, D-handle and heavy duty 8" T-Hinges (Hinged Barn Door)
- Double Hinged Barn Door include 6" Foot Bolt/4" Spring Bolt
- Trolley set, stay roller, Door Stop, handle, barrel bolt and end cap set (Sliding Barn Door)
- 3/16" double pane safety glass with internal grids
- 5/8" quality plywood core
- 29 GA skins glued to plywood
- Variety of classic powder coat colors

Sliding Barn Door w/Safety Glass (2640 SERIES)



Hinged Barn Door w/Safety Glass (2620 SERIES)



See page 10 for actual door size's and Rough openings.



StallWorks, LLC

Door & Stall Systems

434-352-2929

2650 SERIES/2670 SERIES

- 18 GA galv/Neal steel panel perimeter & crossbucks
- 14 GA galv/Neal steel frame (Hinged Loft Door)
- Heavy duty 8" Hinge, barrel bolt and chain door stop (Hinged Loft Door)
- Heavy duty delrin trolley's , stay roller, barrel bolt and end cap set (Sliding Loft Door)
- 29 GA skin glued to plywood
- 5/8" plywood core (Exposed on backside)
- Variety of classic powder coat colors

Hinged Loft Door (2650 SERIES)



Sliding Loft Door (2670 SERIES)



See page 10 for actual door size's and Rough openings.



StallWorks, LLC

Door & Stall Systems

434-352-2929

2660 SERIES/2680 SERIES

- 18 GA galv/Neal steel panel perimeter & crossbucks
- 14 GA galv/Neal steel frame (Hinged Loft Door)
- Heavy duty 8" T-Hinge, barrel bolt and chain door stop (Hinged Loft Door)
- Heavy duty delrin trolley's , stay roller, barrel bolt and end cap set (Sliding Loft Door)
- 29 GA skin glued to plywood
- 3/16" double pane safety glass with internal grids
- 5/8" plywood core (Exposed on backside)
- Variety of classic powder coated colors

Hinged Loft Door w/Safety Glass (2660 SERIES)

Sliding Loft Door w/Safety Glass (2680 SERIES)



See page 10 for actual door size's and Rough openings.



StallWorks, LLC

Door & Stall Systems

434-352-2929

2700 SERIES (CLASSIC)

- 16 GA galv/Neal steel perimeter & crossbucks
- Heavy duty delrin trolley's
- Crossbucks top and bottom
- Insulated cores in panel
- 29 GA skin
- Adjustable door stop, stay roller, end cap set and splice collar (split slider)
- Aluminum handle (Outside)/Plastic handle (Inside)
- Variety of classic powder coated colors

Individual Slider and Split Slider Doors



2720 SERIES (CLASSIC)

- 16 GA galv/Neal steel perimeter & crossbucks
- Heavy duty delrin trolley's
- Crossbucks on bottom only
- Insulated cores in panel
- 29 GA skin
- 3/16" double pane tempered glass with internal grids
- Adjustable door stop, stay roller, end cap set and splice collar (split slider)
- Aluminum handle (Outside)/Plastic handle (Inside)
- Variety of classic powder coat colors

Individual Slider and Split Slider Doors with Safety Glass





StallWorks, LLC

Door & Stall Systems
434-352-2929

2800 SERIES

All Stall Kits come in standard 12' x 7' Stall Fronts

- 49" x 7' Stall Door (R.O. 45") –14GA galv/Neal steel channel/1" galvanized tubing (4"O.C.)
Stall Door Options: V-Neck or Fold Down
- Standard 8' Grill Section – 14GA galv/Neal steel channel/1" galvanized tubing (4" O.C.)
Grill Options: Feed Hole (12"W x 8"H), Swing-Out Door and Swing-Out Hay Feeder
- Grills available in 30" or 36" height
- 8' Round Track with **Face** or **Top** mount brackets
- Heavy duty delrin trolleys with brackets
- Drop Down Latch and Door Keepers
- Hammer Black Powder Coating (other colors available upon request)
- Lumber NOT included



1) Stall Front Kit



2) Stall Front Kit w/ Feed Opening and V-Neck Stall Door



3) Stall Front Kit w/ Swing-Out Door



4) Stall Front Kit w/ Swing-Out Hay Feeder



StallWorks, LLC

Door & Stall Systems

434-352-2929

2900 SERIES (ECONOMY)

- 16 GA galv/Neal steel 5" steel perimeter & crossbucks
- Heavy duty delrin trolley's
- Crossbucks top and bottom
- ¾" Plywood core in panel
- 29 GA skin
- 2900 door stop, 2900 stay roller and splice collar (split slider)
- Powder coated outside handle and inside handle
- Variety of classic powder coat colors

Individual and Split Slider Doors



2920 SERIES (ECONOMY)

- 16 GA galv/Neal steel 5" steel perimeter & crossbucks
- Heavy duty delrin trolley's
- Crossbucks on bottom only
- ¾" Plywood core in panel
- 29 GA skin
- 3/16" tempered glass
- 2900 door stop, 2900 stay roller and splice collar (split slider)
- Powder coated outside handle and inside handle
- Variety of classic powder coat colors

Individual and Split Slider Doors with Safety Glass





StallWorks, LLC

Door & Stall Systems

434-352-2929

HINGED DOORS - ROUGH OPENINGS

4/0 x 3/6 Rough Opening: 48"W x 43 3/8"H

4/0 x 4/0 Rough Opening: 48"W x 49 3/8"H

4/0 x 6/0 Rough Opening: 48"W x 74" H

4/0 x 7/0 Rough Opening: 48"W x 86" H

4/0 x 8/0 Rough Opening: 48"W x 98" H

8/0 x 7/0 Rough Opening: 95 1/8"W x 86"H

8/0 x 8/0 Rough Opening: 95 1/8"W x 98"H

HINGED DOORS - ACTUAL DOOR SIZE

4/0 x 3/6 Actual Door Size: 47"W x 42 1/4"H

4/0 x 4/0 Actual Door Size: 47"W x 48 1/4"H

4/0 x 7/0 Actual Door Size: 47"W x 84 7/8"H

4/0 x 8/0 Actual Door Size: 47"W x 96 7/8"H

SLIDING DOORS - ACTUAL DOOR SIZE

4/0 x 6/0 Actual Door Size: 47"W x 74 3/8"H – (Includes 1 1/2" Door Guide)

4/0 x 7/0 Actual Door Size: 47"W x 86 3/8"H – (Includes 1 1/2" Door Guide)

4/0 x 8/0 Actual Door Size: 47"W x 98 3/8"H – (Includes 1 1/2" Door Guide)

8/0 x 7/0 Actual Door Size: 94 1/8"W x 86 3/8"H – (Includes 1 1/2" Door Guide)

8/0 x 8/0 Actual Door Size: 94 1/8"W x 98 3/8"H – (Includes 1 1/2" Door Guide)

StallWorks, LLC Product Warranty

All StallWorks products have a 1 year warranty against manufactures defects. StallWorks, LLC will replace any products that are deemed defective. This warranty covers replacement only. Shipping and any labor to install is not included.